



1/48




Fig. 1

10052688-041802

2/48




Fig. 2A




Fig. 2B

10052688-041802




Fig. 3

10052688-041802



4/48




Fig. 4

208140-88925001




Fig. 5A

2005140-38925001

6/48




Fig. 5B

20052688-041802



7/48




Fig. 6

20052688-041802

8/48




Fig. 6A




Fig. 6B








Fig. 6C

10052688-041802

INDEX - 44180E





10/48





Fig. 7




Fig. 7A

10052688-041802



11/48




Fig. 8

208140-88925001

10052688-041802



12/48




Fig. 9




Fig. 10




Fig. 10A




Fig. 10B

10052688-01802

13/48




Fig. 11




Fig. 11A

208140-88925001



14/48





Fig. 12

10052688-041802

208140-88925001




Fig. 13




Fig. 13A




Fig. 13C




Fig. 13B




Fig. 13D





16/48




Fig. 14

208140-88925001



17/48




Fig. 15




Fig. 16A




Fig. 16B

20052688-041802



18/48




Fig. 17

10052688.041802



19/48




Fig. 18




Fig. 19

10052688-041802

20/48



Fig. 20




Fig. 21





Fig. 22



208140-88925001

105-58-4-1802



22/48




Fig. 24

10052688-041802




Fig. 25A




Fig. 25C




Fig. 25B




Fig. 25D

10052688-041802

24/48




Fig. 26

10052688-041802




Fig. 27

208140-88925001

26/48




Fig. 28

10052688-041802



27/48




Fig. 29




Fig. 30

10052688-041802



28/48




Fig. 31




Fig. 32

10052688-041802




Fig. 33A

10052688-041802

30/48




Fig. 33B

10052688.041801




Fig. 34

10052688-041802



32/48




Fig. 35




Fig. 36

10052688-041802



34/48





Fig. 37

10052688-041802

208140-88925001



35/48




Fig. 38

36/48

CAPILLARY PERFUSION IN NORMAL RAT BRAIN




Fig. 39

BEST AVAILABLE COPY

10052688-041802

37/48

CAPILLARIES IN CORE WITHOUT AORTIC LIGATION




Fig. 40

BEST AVAILABLE COPY

38/48

CAPILLARIES IN PENUMBRA WITHOUT AORTIC LIGATION




Fig. 41

BEST AVAILABLE COPY

10052688-041602

39/48

CAPILLARIES IN CORE WITH AORTIC LIGATION




Fig. 42

BEST AVAILABLE COPY

2008-10-04 10:00:00

40/48

CAPILLARIES IN PENUMBRA WITH AORTIC LIGATION




Fig. 43

BEST AVAILABLE COPY

10052688-041802




Fig. 44D

CONFIDENTIAL



42/48




Fig. 44E




Fig. 44F




Fig. 44G




Fig. 44H

208140-88925001



43/48




Fig. 45A




Fig. 45B

10052688 041802 208140 88925001



44/48





Fig. 46B

Fig. 46A

10052688-041802

45/48




Fig. 47A




Fig. 47B




Fig. 47C




Fig. 47D

10052688-041802



46/48




Fig. 48A

Fig. 48

10052688-041802

208140-88925001

47/48




Fig. 48B




Fig. 48C




Fig. 48D



208140-88925001

48/48




Fig. 48E




Fig. 48F